

Mini circuit breaker, Homeline Canadian, 40A, 2 pole, 120/240VAC, 10kA AIR, standard type, plug in, UL

CHOM240

Product availability: Stock - Normally stocked in distribution facility

Price*: 60.00 USD

Main

Range of Product	Homeline
Product or Component Type	Miniature circuit-breaker
Line Rated Current	40 A
[Ue] rated operational voltage	120/240 V AC
Mounting Mode	Plug-on
Poles description	2P
Short-circuit current	10 kA
Circuit breaker type	Standard
Circuit breaker application	HACR rated
Electrical Connection	Screw clamp terminals

Complementary

Number of spaces required	2
AWG gauge	AWG 8AWG 2 aluminium/copper

Environment

Product Certifications	CSA
Ambient Air Temperature for Operation	104 °F (40 °C)

Ordering and shipping details

Category	US10NET39997
Discount Schedule	ONET
GTIN	785901647812
Returnability	Yes
Country of origin	MX

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.00 in (5.08 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 1 Width	3.00 in (7.62 cm)
Package 1 Length	3.20 in (8.128 cm)
Package 1 Weight	11.200 oz (317.515 g)
Unit Type of Package 2	CAR
Number of Units in Package 2	50
Package 2 Height	10.60 in (26.924 cm)
Package 2 Width	7.00 in (17.78 cm)
Package 2 Length	16.50 in (41.91 cm)
Package 2 Weight	36.859 lb(US) (16.719 kg)

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

How this information helps you >

Carbon footprint (kg CO2 eq, Total Life cycle)	23	

Use Better


Packaging made with recycled cardboard	No
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant
REACh Regulation	REACh Declaration
China RoHS Regulation	China RoHS declaration

Use Again

○ Repack and remanufacture		
Take-back	No	

Technical Illustration

Dimensions



All dimensions are approximate. Also refer to technical drawings and documentation.